

INTRODUCING
PRO-HAUL CHASSIS

WWW.PROHAUL.COM



PRO-HAUL is a manufacturing based company located in Gallipolis, Ohio. For 30+ years, we have taken pride in fabricating a quality line of products. Our chassis are built in our Ohio manufacturing facility with domestic high quality steel. PRO-HAUL also builds **CUSTOM** chassis and class 8 trailers for multiple applications. Custom designs available; if you can imagine it, we can build it! We take pride in our products and workmanship. Our goal is to exceed our customer's expectations by providing quality products paralleled with exceptional customer service. Let PRO-HAUL be your **#1** source for your chassis needs!



40' TANDEM LIGHTWEIGHT INTERMODAL CHASSIS



FEATURES

- All LED Lights
- Hutch 9700 series three leaf spring suspension, 22,400 LB GAWR*
- 5" Round 25,000 LB axle with oil bath lightweight hubs and drums
- Two speed 50,000 LB lift capacity landing gear, 10 x 10 sand shoes
- 10 Stud Hub Piloted wheels with 445/50R22.5* Tubeless Radial Tires
- 16-1/2 x 7 quick change brakes, Haldex ABS brake system*
- 30/30 brake chambers
- GVWR 65,000 LB
- 30" Kingpin Setting
- High Tensile Strength X-Beam
- Tare Weight: 4,950 LB +/- 1%

*or equivalent

+Pro-Haul reserves the right to correct all errors and omissions



40' PRO-HAUL TANDEM INTERMODAL CHASSIS

PRODUCT

- Feature: New Chassis designed for the 21st century
- Designed for repeated use in transportation of intermodal cargo containers
- Meets DOT requirements
- Maximum Gross Weight: 65,000 LB
- Tare Weight: 4,950 LB +/- 1%

GEOMETRY

- Overall Length & Type: 40'9" fixed, Gooseneck Frame
- Overall Frame Width: 96" over Bolster
- Main Frame Width: 40"
- Maximum Rear Height: Approximately 48"
- King Pin Location: 30"

RUNNING/SUSP

- Axle Spacing: 49" Axle Spacing
- Spring Spec: 3 Leaf - High Arch 354-00
- Hutch 9700 series three leaf spring suspension, 22,400 LB GAWR*
- 5" Round 25,000 LB axle with oil bath lightweight hubs
- Brake Chamber: 30/30 Standard Stroke*
- Wheel: 10 Stud Hub Piloted Outboard Lightweight Iron Hub with lightweight steel brake drum

TIRES & WHEELS

- Tire Size: 445/50R22.5*
- Wheel: 14.00x22.5 Aluminum

ELEC/AIR

- All LED Lights
- Mid-Marker Lights: Trucklite 3050A LED Rivet Mounted/ Trucklite 6050A MidTurn with TL 99152 WIDE TURN LENS*
- Rear Stop/Turn/Tail Lights: Trucklite 4050 LED Rivet Mounting*
- ABS Light: Trucklite 30200Y with 10728 Lamp Mounting Bracket & ABS Decal*
- Decals Standard: Factory Furnished

PAINT


- Metal Preparation: Commercial Shot Blast
- Primer: Zinc Phosphate Epoxy
- Top Coat: Plural Component Acrylic Urethane
- Paint Color: Black, unless otherwise specified

LANDING GEAR

- L/GEAR Shoes: 10" X 10" Sand Shoe Low Profile
- Landing Gear: Jost A400.T1.17*
- Crank Handle: Located at Driver's Side

*or equivalent

+Pro-Haul reserves the right to correct all errors and omissions



**We at PRO-HAUL take pride in our products and workmanship.
Our goal is to exceed your expectations by providing quality
products paralleled with exceptional customer service.**

**Thank you,
PRO-HAUL Management & Staff**



MANUFACTURED IN GALLIPOLIS, OHIO

PRO-HAUL

**2150 Eastern Ave.
Gallipolis, OH 45631**

Email: pfraley@kingkutter.com

Phone: (800) 228-2308 / (205) 487-3202 / (205) 471-5620

WWW.PROHAUL.COM